


(Clear, Opaque, Metallic) Eco-Solvent Waterslide Decal Paper

Eco-Solvent Waterslide Decal Paper (Clear, Opaque, Metallic) that can be used by Eco-Solvent printers and cutters, such as Mimaki CJV150, Roland True VIS SG3, VG3 and Versa STUDIO BN-20, for all your craft projects. Personalize and customize your project by printing unique designs on our decal paper. For more, please visit: <https://www.alizarinchina.com/eco-solvent-metallic-waterslide-decal-paper-product/>



waterslide decal paper

Transfer decals onto ceramics, glass, jade, metal, plastic materials and other hard surface. It is specifically designed for the decoration of all safety headwear, including motorcycle, winter sports, bicycle and skateboarding. or the logos brand owners of bicycle, snowboards, golf clubs and tennis rackets, etc.

Clear

Opaque

Metallic

Code: WS-150S

Code: WS-D-300S

Code: WS-S-300S

Size: 50cm X 30M/Roll, 100cm X 30M/Roll, other specifications are requirement.

Inks: Eco-Solvent Max ink, UV ink, Latex ink

Printers: Roland True VIS SG3, VG3 and Versa STUDIO BN-20



advantage

- Compatible with UV ink, Eco-Solvent Max ink, Latex, etc.
- Good ink absorption, and color retention
- Compatible with Eco-Solvent Printers and Printers/Cutters, such as Roland True VIS SG3, VG3 and Versa STUDIO BN-20
- Ideal for print stability, and consistent cutting
- Transfer decals onto ceramics, glass, jade, metal, plastic materials and other hard surface
- Good thermal stability and weather resistance
- At 500 °C temperatures, Eco-Solvent Waterslide Decal Paper Clear combusts with virtually no residue, especially suitable as a temporary carrier for ceramic inks



what can you do for your craft projects?

Plastic Products



Glass & tile Products



Metal Products



Printer recommendations

Eco-Solvent ink



UV ink



Latex ink



Step by step water slide

step1. Print patterns by Eco-Solvent printers



step2. Cut patterns by vinyl cutting plotters



step3. Submerge you pre-cut decal in 55degree water for 30-60 seconds or until the middle of the decal can easily be slid around. Remove from water.




4. Quickly apply it to your clean decal surface then remove the carrier gently behind the decal, squeeze the images and remove the water and bubbles from the decal paper.



5. Let the decal set and dry for at least 48 hours. Don't expose to direct sunlight during this time.





on craft projects

Note: If you want better gloss, hardness, washability, etc., you can use polyurethane varnish, acrylic varnish, or **UV-curable varnish** to spray coverage protection.

Finishing recommendations

Material Handling & Storage: conditions of 35-65% Relative Humidity and at a temperature of 10-30°C.

Storage of open packages: When an open packages of media is not being used remove the roll or sheets from the printer cover the roll or sheets with a plastic bag to protect it from contaminants, if you are storing it on end, use an end plug and tape down the edge to prevent damage to the edge of the roll do not lay sharp or heavy objects on unprotected rolls and do not stack them.



Mr. Henry

Alizarin Technologies Inc.

TEL: 0086-591-83766293/83766295

FAX: 0086-591-83766292

E-mail: cc@alizarin.com.cn

WEB: <https://www.alizarinchina.com/eco-solvent-metallic-waterslide-decal-paper-product/>

ADD: 901~903, NO.3 building, UNIS SCI-TECH Park, Fuzhou High-Tech Zone, Fujian, China.